
# LIEBHERR

## Technical data

# Litronic WMS II rod sensor P45-GD



Rod sensor P45-GD

# **Features**

- Evaluation of the complex dielectric in the high frequency stray field
- Freely scalable measuring range
- Material curve switching
- Sensor replacement without recalibration
- Temperature compensation
- Integrated microprocessor with mean value calculation
- Limit value analysis
- Digital measuring value transmission
- Medium contacted parts 1.4571 (optional 2.4819) and PEEK
- Electronics integrated in transmitter head
- Transmitter head multiprotocol: 4-20 mA, HART
- External display in separate housing (accessories)

# **LIEBHERR**

Capacitance determination in the high-frequency stray field
Pipeline, tank, etc.
0 bis 100 % moisture content
1
22 MHz
100·10 <sup>-18</sup> F
65,535 ms
16·10 <sup>6</sup> to 25·10 <sup>6</sup>
±0,05 % with correct material curve
± 0,5 °C
Current loop with 420 mA for external display (option)
Analog: 420 mA aktive at 500 Ohm digital: Hart Modem
3,75 mA to 21,6 mA (NAMUR)
<3,6 mA to >22 mA (NAMUR)
16 bit
1000 m (cable type dependent)
24 V DC, 150 mA
-5 °C* to 80 °C (Standard)
5 °C to 80 °C
5 °C to 70 °C
-25 °C to 80 °C
-1 bar to 100 bar Max. pressure 40 bar
IP 65
1.4571 (optional 2.4819)
Die-cast aluminium
88 mm / 160 mm / 143 mm
PEEK
Front or side
45 mm
6 to 32" (longer rod lengths upon request)



# **Accuracy**

The measuring range could be adjusted to the requirements of the user from 0 to 100 % in 1 % steps. The resolution in crude oil is approx. at 40 parts for 1 % water content.

Measuring range	Resolution	Accuracy
0-1%	0,025 %	+/- 0,05 %
1-10 %	0,025 %	+/- 0,10 %
10-65 %	0,025 %	+/- 0,50 %
65-90 %	0,025 %	+/- 2,00 %

#### Remark

A precondition for exact und reproducible results is a well-mixed emulsion with a constant consistence.

#### **Certificates**

ATEX:

EU-type examination certificate number: EPS 21 ATEX 1 140 X

DIN EN IEC 60079-0:2018, 60079-1:2014, EN 60079-11:2012, EN 60079-26:2015, EN 60079-31:2014

Gas EX-protection:

II 1/2 G Ex db/ia IIC T4 Ga/Gb

**Dust EX-protection:** 

II 1/2 D Ex tb/ia IIIC T135°C Da/Db

IECEx:

Certificate number: IECEx EPS 21.0047X

IEC 60079-0:2017 Edition: 7.0, IEC 60079-1:2014-06 Edition: 7.0, IEC 60079-11:2011 Edition: 6.0

IEC 60079-26:2014-10 Edition: 3.0, IEC 60079-31:2013 Edition: 2

Gas EX-protection:

Ex db/ia IIC T4 Ga/Gb

**Dust EX-protection:** 

Ex tb/ia IIIC T135°C Da/Db



## **Further remarks**

- The welding process connector for integration in pipe must be provided on site, following the specifications of Liebherr.
- The sensor has been specially designed to measure the water content in binary emulsions.
- For the water in oil measurement, a factory basic calibration will be done.
- A precise technical clarification is absolutely necessary.
- The Liebherr address, the Liebherr Logo, as the manufacturer / distributor must always be read in full, so it is not allowed to paste or cover it.

#### Observe special conditions of use

- For the power supply of the sensor use only a power supply for the relevant device category.
- The cable can only be installed movable if the ambient temperature around is between 5 °C and 70 °C.
- If the cable has to be connected within the potentially explosive area, the cable must have a minimum protection class of IP-6x or another accepted type of protection for that area.
- The allowed sensor head ambient temperature in process is between 5 °C to 80 °C
- The allowed transmitter head ambient temperature in process is between 5 °C to 70 °C

#### **Litronic WMS PC-SOFTWARE WIO**

For commissioning and service of Litronic WMS II sensors.

#### Features:

- Operation with standard HART modem and PC (MS-Windows 10).
- Parameterization of the sensors.
- Diagnostic function with display of measuring parts, water content, media. temperature, optional pressure.
- Input of media-specific curves (linear or polynomial up to 3rd order) and offset.
- Curve switching measurement and data recording in file (for import into Microsoft Excel).

Default language of the software and the online help is German and English.

Note: Translation into the local languages are possible.