

GPR-1500 IS ATEX, CUL APPROVED PPM 02 TRANSMITTER

ATEX and cUL approved 2-wire loop powered transmitter, 0-10 PPM low range, measures O2 concentrations from 0.01 PPM to 1%. The 2-wire transmitter features certification to ATEX Directive 94/9/EC, and cUL designed exclusively for Natural Gas applications, an advanced galvanic trace PPM oxygen sensor, an 18 month operating sensor life, and menu driven controls. Pictured with optional A-3393 modular sample system designed to remove moderate amounts of free liquids and H2S from natural gas streams.











Certifications:

ULc Class I Div I Group C, D ATEX Directive 94/9/ II 2G Ex d [ib] ib IIB T4 Gb T_{amb} -10°C to 50°C

TECHNICAL SPECIFICATIONS

*Accuracy:	< 2% of FS range under constant conditions	Analysis Ranges:	0-10 PPM, 0-100 PPM, 0-1000 PPM, 0-1%, 0- 25% FS ranges;
Application:	Oxygen analysis in inert, hydrocarbon, hydrogen, mixed and acid (CO ₂) gas streams	Approvals:	ATEX Directive 94/9/EC II 2 G Ex d [ib] ib IIB T4 Tamb -20?C to +50?C
Area Classification:	cUL for Class 1, Division 1, Group C, D hazardous	Alarms:	NONE
Calibration:	Air or certified span gas of O ₂ balance N ₂	Compensation:	Temperature
Connections:	1/4" compression tube fittings	Controls:	Menu driven range selection, calibration and system functions
Display:	Graphical LCD 2.75" x 1.375"; resolution 0.01 PPM	Enclosure:	Aluminum ex-proof, fiberglass NEMA 4X, 16x9x6", 20 lbs.
Flow:	1-5 SCFH, 1-2 SCFH recommended	Linearity:	>0.995
Pressure:	Inlet – regulate to 5-30 psig; vent – atmospheric	Power:	18-24 VDC Loop Power
Response Time:	90% of final reading in 10 seconds	Sample System:	Sample flow meter
Sensitivity:	< 0.5% of FS range	Sensor Model:	XLT-12-333 for gases containing > 0.5% CO2
Sensor Life:	24 months at 25°C and 1 atm.	Signal Output:	4-20 mA Loop current
Operating Range:	Recommended -10°to 45°C	Warranty:	12 months analyzer; 12 months sensor
Wetted Parts:	Stainless steel	Communication:	NONE

^{*}At constant temperature and pressure

Optional Equipment	
GPR-12-333	Sensor for gas mixtures free of CO2
Sample system	Pressure regulator, pressure gauge, H2S scrubber
Enclosure	Analyzer enclosed in NEMA4 enclosure